




We do Ophthalmic innovation that defines the quality of tomorrow...

www.zymeck.com

OPHTHALMIC MICRO SURGICAL KNIVES

Strong & Broke Resistant
Hard Fiber Stainless Steel


Polycarbonate Medical grade
Handle & Safety Tray



Supreme Quality Made Of Break Resistant Advance Hard Fiber
Stainless Steel Material with uniform, consistent, smooth &
glare-free MATT FINISH In Controlled Environment

Keratome / Slit Blades

(Sharp Tip) For PHACO STAB INCISION



Single Bevel

Angled At 45 Deg
Bevel Up

Size	Products No.
1.0 mm	ZPK161045
1.2 mm	ZPK161245
1.4 mm	ZPK161445
1.5 mm	ZPK161545
1.8 mm	ZPK161845
2.0 mm	ZPK162045
2.2 mm	ZPK162245
2.4 mm	ZPK162445
2.5 mm	ZPK162545
2.65 mm	ZPK162645
2.75 mm	ZPK162745
2.8 mm	ZPK162845
3.0 mm	ZPK163045
3.2 mm	ZPK163245
3.5 mm	ZPK163545

Angled At 45 Deg
Bevel Down

Size	Products No.
1.0 mm	ZPK191045
1.2 mm	ZPK191245
1.4 mm	ZPK191445
1.5 mm	ZPK191545
1.8 mm	ZPK191845
2.0 mm	ZPK192045
2.2 mm	ZPK192245
2.4 mm	ZPK192445
2.5 mm	ZPK192545
2.65 mm	ZPK192645
2.75 mm	ZPK192745
2.8 mm	ZPK192845
3.0 mm	ZPK193045
3.2 mm	ZPK193245
3.5 mm	ZPK193545

Straight

Size	Products No.
1.0 mm	ZPK181000
1.2 mm	ZPK181200
1.4 mm	ZPK181400
1.5 mm	ZPK181500
1.8 mm	ZPK181800
2.0 mm	ZPK182000
2.2 mm	ZPK182200
2.4 mm	ZPK182400
2.5 mm	ZPK182500
2.65 mm	ZPK182600
2.75 mm	ZPK182700
2.8 mm	ZPK182800
3.0 mm	ZPK183000
3.2 mm	ZPK183200
3.5 mm	ZPK183500

Double Bevel / BI Bevel

Angled At 45 Deg


Size	Products No.
2.2 mm	ZPK272245
2.4 mm	ZPK272445
2.5 mm	ZPK272545
2.65 mm	ZPK272645
2.75 mm	ZPK272745
2.8 mm	ZPK272845
3.0 mm	ZPK273045
3.2 mm	ZPK273245
3.5 mm	ZPK273545

Straight

Size	Products No.
2.2 mm	ZPK282200
2.4 mm	ZPK282400
2.5 mm	ZPK282500
2.65 mm	ZPK282600
2.75 mm	ZPK282700
2.8 mm	ZPK282800
3.0 mm	ZPK283000
3.2 mm	ZPK283200
3.5 mm	ZPK283500

Keratome / Slit Blades / Enlarger

(Blunt Tip) For IOL ENLARGING



Single Bevel

Angled At 45 Deg
Bevel Up

Size	Products No.
3.5 mm	ZPE163545
3.8 mm	ZPE163845
4.0 mm	ZPE164045
5.1 mm	ZPE165145
5.2 mm	ZPE165245
5.5 mm	ZPE165545
6.0 mm	ZPE166045

Angled At 45 Deg
Bevel Down


Size	Products No.
3.5 mm	ZPE193545
3.8 mm	ZPE193845
4.0 mm	ZPE194045
5.1 mm	ZPE195145
5.2 mm	ZPE195245
5.5 mm	ZPE195545
6.0 mm	ZPE196045

Straight

Size	Products No.
3.5 mm	ZPE183500
3.8 mm	ZPE183800
4.0 mm	ZPE184000
5.1 mm	ZPE185100
5.2 mm	ZPE185200
5.5 mm	ZPE185500
6.0 mm	ZPE186000

Crescent Blades

For Groove or Pocket or TUNNEL INCISION



Single Bevel

Angled At 55 Deg
Bevel Up

Size	Products No.
2.0 mm	ZPT162055
2.25 mm	ZPT162255
2.5 mm	ZPT162555
2.6 mm	ZPT162655

Angled At 55 Deg
Bevel Down

Size	Products No.
2.0 mm	ZPT192055
2.25 mm	ZPT192255
2.5 mm	ZPT192555
2.6 mm	ZPT192655

Straight

Size	Products No.
2.0 mm	ZPT182000
2.25 mm	ZPT182200
2.5 mm	ZPT182500
2.6 mm	ZPT182600

Double Bevel / BI Bevel

Angled At 55 Deg


Size	Products No.
2.5 mm	ZPT272555
2.6 mm	ZPT272655

Straight

Size	Products No.
2.5 mm	ZPT282500
2.6 mm	ZPT282600

Lance Tip Blades

For INITIAL INCISION



Lance Tip

Size	Products No.
15 Degree	ZPL281500
22 Degree	ZPL282200
30 Degree	ZPL283000
45 Degree	ZPL284500

Lance Tip Angled Left


Size	Products No.
15 Degree	ZPL231510
22 Degree	ZPL232210
30 Degree	ZPL233010
45 Degree	ZPL234510

Lance Tip Angled Right

Size	Products No.
15 Degree	ZPL251510
22 Degree	ZPL252210
30 Degree	ZPL253010
45 Degree	ZPL254510

Clear Corneal Blades

For CLEAR CORNEAL INCISION



Single Bevel

Angled At 45 Deg Bevel Up

Size	Products No.
2.6 mm	ZPC162645
2.75 mm	ZPC162745
2.8 mm	ZPC162845
3.0 mm	ZPC163045
3.2 mm	ZPC163245

Straight

Size	Products No.
2.6 mm	ZPC182600
2.75 mm	ZPC182700
2.8 mm	ZPC182800
3.0 mm	ZPC183000
3.2 mm	ZPC183200

Double Bevel / BI Bevel

Angled At 45 Deg

Size	Products No.
2.6 mm	ZPC272645
2.75 mm	ZPC272745
2.8 mm	ZPC272845
3.0 mm	ZPC273045
3.2 mm	ZPC273245


Straight

Size	Products No.
2.6 mm	ZPC282600
2.75 mm	ZPC282700
2.8 mm	ZPC282800
3.0 mm	ZPC283000
3.2 mm	ZPC283200



MVR Blades

For WATER TIGHT SELF SEALING INCISION



Angled at 45 Deg

Size	Products No.
19 Gauge	ZPM271945
20 Gauge	ZPM272045
23 Gauge	ZPM272345
24 Gauge	ZPM272445

Straight

Size	Products No.
19 Gauge	ZPM281900
20 Gauge	ZPM282000
23 Gauge	ZPM282300
24 Gauge	ZPM282400




We innovate to Create

Quality Blades Made Of Break Resistant Thinner Profile Stainless Steel In Controlled Environment

Keratome / Slit Blades

(Sharp Tip For) PHACO STAB INCISION



Single Bevel

**Angled At 45 Deg
Bevel Up**

Size	Products No.
1.0 mm	ZSK161045
1.2 mm	ZSK161245
1.4 mm	ZSK161445
1.5 mm	ZSK161545
1.8 mm	ZSK161845
2.0 mm	ZSK162045
2.2 mm	ZSK162245
2.4 mm	ZSK162445
2.5 mm	ZSK162545
2.65 mm	ZSK162645
2.75 mm	ZSK162745
2.8 mm	ZSK162845
3.0 mm	ZSK163045
3.2 mm	ZSK163245
3.5 mm	ZSK163545

**Angled At 45 Deg
Bevel Down**

Size	Products No.
1.0 mm	ZSK191045
1.2 mm	ZSK191245
1.4 mm	ZSK191445
1.5 mm	ZSK191545
1.8 mm	ZSK191845
2.0 mm	ZSK192045
2.2 mm	ZSK192245
2.4 mm	ZSK192445
2.5 mm	ZSK192545
2.65 mm	ZSK192645
2.75 mm	ZSK192745
2.8 mm	ZSK192845
3.0 mm	ZSK193045
3.2 mm	ZSK193245
3.5 mm	ZSK193545

Straight

Size	Products No.
1.0 mm	ZSK181000
1.2 mm	ZSK181200
1.4 mm	ZSK181400
1.5 mm	ZSK181500
1.8 mm	ZSK181800
2.0 mm	ZSK182000
2.2 mm	ZSK182200
2.4 mm	ZSK182400
2.5 mm	ZSK182500
2.65 mm	ZSK182600
2.75 mm	ZSK182700
2.8 mm	ZSK182800
3.0 mm	ZSK183000
3.2 mm	ZSK183200
3.5 mm	ZSK183500

Double Bevel / BI Bevel

Angled At 45 Deg Bevel Up


Size	Products No.
2.2 mm	ZSK272245
2.4 mm	ZSK272445
2.5 mm	ZSK272545
2.65 mm	ZSK272645
2.75 mm	ZSK272745
2.8 mm	ZSK272845
3.0 mm	ZSK273045
3.2 mm	ZSK273245
3.5 mm	ZSK273545

Straight

Size	Products No.
2.2 mm	ZSK282200
2.4 mm	ZSK282400
2.5 mm	ZSK282500
2.65 mm	ZSK282600
2.75 mm	ZSK282700
2.8 mm	ZSK282800
3.0 mm	ZSK283000
3.2 mm	ZSK283200
3.5 mm	ZSK283500

Keratome / Slit Blades / Enlarger

(Blunt Tip) For IOL ENLARGING



Single Bevel

Angled At 45 Deg Bevel Up

Size	Products No.
3.5 mm	ZSE163545
3.8 mm	ZSE163845
4.0 mm	ZSE164045
5.1 mm	ZSE165145
5.2 mm	ZSE165245
5.5 mm	ZSE165545
6.0 mm	ZSE166045

Angled At 45 Deg Bevel Down


Size	Products No.
3.5 mm	ZSE193545
3.8 mm	ZSE193845
4.0 mm	ZSE194045
5.1 mm	ZSE195145
5.2 mm	ZSE195245
5.5 mm	ZSE195545
6.0 mm	ZSE196045

Straight

Size	Products No.
3.5 mm	ZSE183500
3.8 mm	ZSE183800
4.0 mm	ZSE184000
5.1 mm	ZSE185100
5.2 mm	ZSE185200
5.5 mm	ZSE185500
6.0 mm	ZSE186000

Crescent Blades

For TUNNEL INCISION



Single Bevel

Angled At 55 Deg Bevel Up

Size	Products No.
2.0 mm	ZST162055
2.25 mm	ZSE162255
2.5 mm	ZSE162555
2.6 mm	ZSE162655

Angled At 55 Deg Bevel Down

Size	Products No.
2.0 mm	ZST192055
2.25 mm	ZSE192255
2.5 mm	ZSE192555
2.6 mm	ZSE192655

Straight

Size	Products No.
2.0 mm	ZST182000
2.25 mm	ZSE182200
2.5 mm	ZSE182500
2.6 mm	ZSE182600

Double Bevel / BI Bevel

Angled At 55 Deg


Straight

Size	Products No.
2.5mm	ZST272555
2.6 mm	ZSE272655

Size	Products No.
2.5 mm	ZST282500
2.6 mm	ZSE282600

Lance Tip

For INITIAL INCISION



Lance Tip

Lance Tip Angled Left

Lance Tip Angled Right

Size	Products No.
15 Degree	ZSL281500
22 Degree	ZSL282200
30 Degree	ZSL283000
45 Degree	ZSL284500

Size	Products No.
15 Degree	ZSL231510
22 Degree	ZSL232210
30 Degree	ZSL233010
45 Degree	ZSL234510

Size	Products No.
15 Degree	ZSL251510
22 Degree	ZSL252210
30 Degree	ZSL253010
45 Degree	ZSL254510

Clear Corneal Blades

For CLEAR CORNEAL INCISION



Single Bevel

Angled At 45 Deg
Bevel Up

Straight

Size	Products No.
2.6 mm	ZSC162645
2.75 mm	ZSC162745
2.8 mm	ZSC162845
3.0 mm	ZSC163045
3.2 mm	ZSC163245

Size	Products No.
2.6 mm	ZSC182600
2.75 mm	ZSC182700
2.8 mm	ZSC182800
3.0 mm	ZSC183000
3.2 mm	ZSC183200



Double Bevel / BI Bevel

Angled At 45 Deg


Size	Products No.
2.6 mm	ZSC272645
2.75 mm	ZSC272745
2.8 mm	ZSC272845
3.0 mm	ZSC273045
3.2 mm	ZSC273245

Straight

Size	Products No.
2.6 mm	ZSC282600
2.75 mm	ZSC282700
2.8 mm	ZSC282800
3.0 mm	ZSC283000
3.2 mm	ZSC283200

MVR Blades

For WATER TIGHT SELF SEALING INCISION



Angled at 45 Deg

Size	Products No.
19 Gauge	ZSM271945
20 Gauge	ZSM272045
23 Gauge	ZSM272345
24 Gauge	ZSM272445

Straight

Size	Products No.
19 Gauge	ZSM281900
20 Gauge	ZSM282000
23 Gauge	ZSM282300
24 Gauge	ZSM282400



Office :

305,Olive Arcade,
Girish Cold drink Cross Road,
C.G.Road, Ahmedabad-380009,
Mo.:+91 9925009854,
Email : info@zymeck.com
Web : www.zymeck.com

Mfg. Unit :

166, Abhishree, Industrial Estate, Nr. Vepari Mahmandal,
SBI Road.Kathwada G.I.D.C, Kathwada,
Ahmedabad-382415. Mo.:+91 8460 966419